



FIG. 1
(Prior Art)FIG. 1A
(Prior Art)

FIG. 2A
(Prior Art)




FIG. 2B

FIG. 2B is a schematic diagram of a user interface form. It consists of a rectangular frame containing the following elements from top to bottom:

- A rectangular text input field labeled **TEXT**.
- A selection area enclosed in a dashed border, containing two radio buttons. The left radio button is selected (filled with a black dot) and is labeled **YES** below it. The right radio button is unselected and is labeled **NO** below it. This entire dashed area is labeled **134B** with a leader line.
- A rounded rectangular button labeled **NEXT**, which is labeled **134D** with a leader line.

Additional labels include **134C** pointing to the left radio button and **134A** pointing to the text input field.

FIG. 2C

FIG. 2C is a schematic diagram of a user interface form. It consists of a rectangular frame containing the following elements from top to bottom:

- A rectangular text input field labeled **TEXT**, labeled **138A** with a leader line.
- A dashed rectangular box containing two input fields: **Row** and **Column**. This dashed box is labeled **138B** with a leader line.
- A rectangular field labeled **Current**, labeled **138C** with a leader line.
- A rectangular field labeled **User ID**, labeled **138D** with a leader line.
- A rounded rectangular button labeled **NEXT**, labeled **138E** with a leader line.

FIG. 3




FIG. 4

